

HO SD38 Diesel Locomotive

CIT Rail Leasing

ETA: July 2018



Without Sound ATH88519 ATH88520 ATH88521 With Sound ATH88619 ATH88620 ATH88621

HO RTR SD38, CITX #6051 HO RTR SD38, CITX #6054 HO RTR SD38, CITX #6055

HO RTR SD38 w/DCC & Sound, CITX #6051 HO RTR SD38 w/DCC & Sound, CITX #6054 HO RTR SD38 w/DCC & Sound, CITX #6055

6055

6051

CITX FEATURES:

- #6051, #6054: Non-dynamic brake hatch
- · Cab mounted A/C · Illuminated pilot mounted
- ditchlights front and rear
- Small EMD snow plow
- · Long hood mounted Leslie 3-chime air horn Sunshades



#6055:

antennas

· Dynamic brake hatch

Cab mounted firecracker

Illuminated deck mounted

ditchlights front and rear

· Weedcutter snow plow

· Cab mounted nathan

3-chime air horn




Duluth, Missabe & Iron Range



Fra: Mid 1970s+ Without Sound ATH88522 ATH88523 ATH88524 With Sound ATH88622 ATH88623 ATH88624

HORIZ



HO RTR SD38AC, DM&IR #202 HO RTR SD38AC, DM&IR #205 HO RTR SD38AC, DM&IR #206

HO RTR SD38AC w/DCC & Sound, DM&IR #202 HO RTR SD38AC w/DCC & Sound, DM&IR #205 HO RTR SD38AC w/DCC & Sound, DM&IR #206


DM&IR FEATURES:

- · New Part: DM&IR specific ballast blocks, tool rack, and rerail frogs mounted behind fuel tank
- · New Parts: DM&IR specific "Straight Air" hoses mounted on front & rear

* Union Pacific Licensed Product

- · Dynamic brake hatch
- · Sinclair antenna
- · Rear high hood mounted bell
- Cab mounted Nathan air horn
- · Large EMD snow plow
- · All weather windows both sides of cab
- · Illuminated Xenon strobe beacon
- · Simulated lighting effect on DCC/sound model
- · Small 2600 gallon EMD fuel tank

W/O Sound \$134.98 SRP With Formani Sound \$194.98 SRP These items are subject to Horizon's MAP policy





Without Sour ATH88525 ATH88526 ATH88527 With Sound ATH88625 ATH88626 ATH88627

HO RTR SD38, DT&I #250 HO RTR SD38, DT&I #251 HO RTR SD38, DT&I #252

HO RTR SD38 w/DCC & Sound, DT&I #250 HO RTR SD38 w/DCC & Sound, DT&I #251 HO RTR SD38 w/DCC & Sound, DT&I #252

- Non-dynamic brake hatch w/ spark arrestors
- Firecracker antenna
- Nose mounted gong bell DCC+Sound models feature realistic gong bell sound effect
- Cab mounted Nathan air horn
- MU catch trays with footboards front and rear
- Illuminated Xenon strobe beacon
- Simulated lighting effect on DCC/sound model
- Small 3200 gallon EMD fuel tank



Era: Mid 1969+

 Without Sound

 ATH88528

 ATH88529

 ATH88530

 With Sound

 ATH88628

 ATH88629

HO RTR SD38, McCloud River Railway #36 HO RTR SD38, McCloud River Railway #37 HO RTR SD38, McCloud River Railway #38

ATH88628HO RTR SD38 w/DCC & Sound, McCloud River Railway #36ATH88629HO RTR SD38 w/DCC & Sound, McCloud River Railway #37ATH88630HO RTR SD38 w/DCC & Sound, McCloud River Railway #38

MR FEATURES:

- · Dynamic brake hatch
- Firecracker antenna
- Cab mounted Leslie 3-chime air horn
- · MU catch trays with footboards front and rear
- Illuminated Xenon strobe beacon
- Simulated lighting effect on DCC/sound model
- Small 3200 gallon EMD fuel tank
- To represent the engines' as-delivered switcher fuel tank, remove the plastic fuel tank to expose the painted cast motor mount block.





Without Sound ATH88531 ATH88532 **With Sound** ATH88631 ATH88632

HO RTR SD38AC, Rail Logix #2001 HO RTR SD38AC, Rail Logix #2002

HO RTR SD38AC w/DCC & Sound, Rail Logix #2001 HO RTR SD38AC w/DCC & Sound, Rail Logix #2002

- **RL FEATURES:**
- Dynamic brake hatch
- Cab mounted RV style A/C
- Illuminated pilot mounted ditchlights front and rear

* Union Pacific Licensed Product

- MU catch trays front and rear
- Long hood mounted Leslie 3-chime air horn
- Small 3200 gallon EMD fuel tank

w/o Sound \$134.98 SRP With Formani Sound \$194.98 SRP These items are subject to Horizon's MAP policy





HO SD38 Diesel Locomotive

Announced 07.28.17 Orders Due: 8.25.17

ETA: July 2018

All Railroads

SOUND EQUIPPED MODELS ALSO FEATURE

- Onboard Econami Sound by SoundTraxx
- Sound units operate in both DC and DCC
- Full DCC functions available when operated in DCC mode
- Engine, horn, and bell sounds work in DC
- All functions NMRA compatible in DCC mode
- Excellent Slow speed control
- Effect lighting (if applicable) using F5 and/or F6
- Program a multiple unit (MU) lashup with lead unit only horn, bell, and lights
- Many functions can be altered via Configuration Value (CV) changes

PROTOTYPE SPECIFIC INFORMATION

The SD38 is a 6-axle diesel-electric locomotive built by General Motors Electro-Motive Division between May 1967 and October 1971. It had an EMD 645 16-cylinder engine generating 2,000 horsepower. The EMD SD38AC built by General Motors Electro-Motive Division between June and October 1971. It was basically an SD38 with an AR10 alternating current alternator instead of the SD38's normal direct current generator. It also produces 2,000 horsepower from a 16-cylinder EMD 645E roots blown prime mover. It came equipped with or without dynamic brakes. The SD38 and SD38AC have the same frame as the SD39, SD40 and SD45.

This page is based on the copyrighted Wikipedia article "EMD SD38" https://en.wikipedia.org/wiki/EMD_SD38; it is used under the Creative Commons Attribution-ShareAlike 3.0 Unported License (CC-BY-SA http://en.wikipedia.org/wiki/WP:CCBYSA). You may redistribute it, verbatim or modified, providing that you comply with the terms of the CC-BY-SA.

LOCOMOTIVE FEATURES:

- Separately applied wire grab irons
- Standard 81" low nose without headlight or brake unless noted
- Standard cab with dual beam sealed headlight and glare shields
 unless noted
- See through cab windows
- Fixed position cab side windows
- Oil-bath or Paper air filters per prototype
- Ribbed or smooth blower housing per prototype
- Standard dustbin unless noted
- See-through dynamic brake and radiator fans
- Dynamic or non dynamic brakes per prototype
- Dynamic brake vent per prototype
- Non-turbo exhaust stacks
- Chicken wire radiator grilles unless noted
- "F" painted on short hood end unless noted
- 2600, 3200 or 4000 gallon fuel tank per prototype
- Air tank
- Printed numberboards
- Fine scale handrails
- Fully assembled and ready-to-run
- McHenry scale knuckle spring couplers
- DCC and SOUND ready with Quick Plug[™] technology
- Genesis motor retrofit kit ATHG63839 compatible
- · Highly-detailed, injection molded body
- Painted and printed for realistic decoration
- Bi-directional constant lighting so headlight brightness remains consistent
- All-wheel drive with precision gears for smooth and quiet operation
- All-wheel electrical pickup
- 5-pole skew wound motor with flywheels and multi-link drivetrain for trouble-free operation
- Wheels with RP25 contours operate on all popular brands of track
- · Window packaging for easy viewing
- Interior plastic blister safely holds the model for convenient storage
- Minimum radius: 18"
- · Recommended radius: 22"

