


Announced: 01.23.15 Orders Due: 02.27.15

ETA: November 2015

Burlington Northern



Without Sound

ATHG63559 #9856 ATHG63560 #9857 ATHG63561 #9859 ATHG63562 #9863

With Sound

ATHG63659 #9856 ATHG63660 #9857 ATHG63661 #9859 ATHG63662 #9863

ROAD NAME FEATURES

- Operating Western-Cullen beacon when used with DCC

- Square front pilot face
 Oval builder's plate
 Detailed 5,000 gallon fuel tank with wash-out plugs
 Rear early "straight" coupler cut lever
 Ex-Great Northern-Patched and sub-lettered for BN
 CN table sto
- GN-style steam generator hatch and exhaust
- Correct placement of walkway water fill
- EMD low snowplow with steam line door
- Front trainline hose with drop elbow and silver end 3-hose MU hose clusters with silver ends
- Front drop stepFront short MU stand

- Rear Flexicoil-C Trucks with high brake cylinders and Hyatt bearings
 Front Flexicoil-C Trucks with high/low brake cylinders and Hyatt bearings
 Carbody with correct walkway light placement for water fill step-ups
 81" short hood with SDP notched brake wheel and class lights and gaskets
- Antiglare patch painted on top of nose
 Standard "35-Line" cab with armrests and sunshade tracks
 Dual sealed beam cab headlight with anti-glare shields

- Sunshade on right side only
 Windwings with lower mirror fore of cab side windows
 Leslie S-3L-R air horn
 Firecracker antenna

- Standard range dynamic brake
 Diamond grid radiator intake grilles
 Flat long hood end
 Rear anticlimber

- Rear pilot mounted MU receptacle
 Rear trainline hose with silver end
- Frame mounted bell
- Salem dual air filter with piping
- Dual end sanding lines
 Era: 1970-1974



Announced: 01.23.15 Orders Due: 02.27.15

ETA: November 2015

Conrail





Without Sound

ATHG63563 #6672 ATHG63564 #6674 #6691 ATHG63565 ATHG63566 #6693

With Sound

ATHG63663 #6672 ATHG63664 #6674 ATHG63665 #6691 ATHG63666 #6693

ROAD NAME FEATURES

- · Front and Rear MU hose catch tray with bottom reinforcing strip
- Low profile roof details: dust bin hatch, dynamic braké fans, exhaust stack, engine compartment "T" vent. radiator fans
- Leslie SU-3L-R air horn mounted on low clearance bracket
 Cab signal box painted blue or primer per prototype
 Front trainline hose with drop elbow and silver end
- 3-hose MU hose clusters with silver ends
- Late coupler cut levers with loops painted white
- Notched pilot faces

- Front drop step
 Standard "35-Line" cab with armrests and sunshade tracks
 Dual sealed beam cab headlight with anti-glare shields
 Windwings without mirrors fore & aft of cab side windows
 Dual single louver battery box doors and sub-base doors with stiffener rib Dual single louver battery box doors and sub-base doors with stiffener rib
 Low profile standard range dynamic brake housing with retrofitted side vents
 81" short hood with SDP notched brake wheel and class lights and gaskets
 Flexicoil-C Trucks with high/low brake cylinders and Hyatt bearings
 Carbody with 20-645 hood door arrangement, rear numberboards, and class lights
 Large Sinclair "ice skate" antenna
 Early ECAFB
 Articlare notes painted on top of page

- Antiglare patch painted on top of nose
 Rectangular grid radiator intake grilles
 Pointed long hood end
 Rear anticlimber

- Front and rear deck-mounted MU stands
 Front and rear deck-mounted MU stands
 Rectangular builder's plate
 5,000 gallon fuel tank
 Salem air filter set with piping
 Rear trainline hose with silver end
 Frame mounted bell
 Second recorder.

- Speed recorder
- Dual end sanding lines
- Era: 1976-1984

w/o Sound \$189.98 With sunami Sound \$289.98



Announced: 01.23.15 Orders Due: 02.27.15

ETA: November 2015

Erie Lackawana





Without Sound

ATHG63567 #3655 ATHG63568 #3659 ATHG63569 #3664 ATHG63570 #3666

With Sound

ATHG63667 #3655 ATHG63668 #3659 ATHG63669 #3664 ATHG63670 #3666

ROAD NAME FEATURES

- As-built EL freight service SDP45 (SD45M)
 Carbody with 20-645 hood door arrangement, rear numberboards, and class lights
- Low profile roof details:
 dust bin hatch, dynamic brake fans, exhaust stack,
 engine compartment "T" vent,
 radiator fans
 Leslie SU-3L-R air horn mounted on low clearance bracket
 Front and rear MU hose catch tray with bottom reinforcing strip

Trainline hoses with silver ends

- 3-hose MU hose clusters with silver ends
- Front and rear early "straight" coupler cut levers
- Pilot grab irons

Front drop step
Front and rear deck-mounted MU stands
81" short hood with SDP notched brake wheel and class lights and gaskets

- Antiglare patch painted on top of nose
 Dual single louver battery box doors and sub-base doors with stiffener rib
 Standard "35-Line" cab with armrests and sunshade tracks

Dual control stands

Dual sealed beam cab headlight with anti-glare shields

Sunshades

- Windwings without mirrors fore & aft
 Large Sinclair "ice skate" antenna

• Early ECAFB

- Law Profile standard range dynamic brake housing with retrofitted side vents

 Rectangular grid radiator intake grilles

 Pointed long hood end

- Pointed long nood end
 Rear anticlimber
 Rectangular builder's plate
 5,000 gallon fuel tank
 Salem air filter set with piping
 Rear trainline hose with silver end
 Frame mounted bell
 Florical C Trucks with high broke
- Flexicoil-C Trucks with high brake cylinders and Hyatt bearings
 Speed recorder
 Dual end sanding lines
 Era: 1975-1976

w/o Sound \$189.98 With [sunami Sound \$289.98






Announced: 01.23.15 Orders Due: 02.27.15

ETA: November 2015

Great Northern



Without Sound

ATHG63571 #327 ATHG63572 #328 ATHG63573 #330 ATHG63574 #333

With Sound

ATHG63671	#327
ATHG63672	#328
ATHG63673	#330
ATHG63674	#333

ROAD NAME FEATURES

- Operating Western-Cullen beacon when used with DCC

- Front late coupler cut lever with loops painted white
 "Notched" front pilot face
 Dual single louver battery box doors with lift-off hinges and sub-base doors with stiffener rib and lift-off hinges.

 Winterization botch

- Dual single louver patiety box doors with incoming.
 Winterization hatch
 Water fill positioned per prototype
 Oval builder's plate
 Detailed 5,000 gallon fuel tank with wash-out plugs
 Rear early "straight" coupler cut lever
 Front Flexicoil-C Trucks with high/low brake cylinders and Hyatt bearings
 Rear Flexicoil-C Trucks with high brake cylinders and Hyatt bearings

MODEL FEATURES

- Fully-assembled and ready-to-run
- Multiple unit (MU) hoses with silver glad hands
- Front and rear trainline air hose with silver glad hands
- · Horns per prototype
- Factory applied windshield wipers
- See through cab windows
 Detailed and painted cab interior
- Fine-scale handrails for scale appearance
- · HT-C trucks with Timken bearings
- McHenry scale knuckle spring couplers
- Accurately painted and printed paint schemes
- Incandescent bulbs for realistic appearance
- Scaled from prototype resources including drawings, field measurements, photographs, and more
 Genesis driveline with 5-pole skew wound motor, precision machined flywheels, and multi-link drivetrain for trouble free operation
- All-wheel drive with precision gears for smooth and quiet operation
- · All-wheel electrical pickup provides reliable current flow
- Wheels with RP25 contours operate on Code 70, 83, and 100 rail
- · Bidirectional constant lighting so headlight brightness remains constant
- · Minimum radius: 18"
- · Recommended radius: 22"

SOUND EQUIPPED MODELS ALSO FEATURE

- Onboard DCC decoder with SoundTraxx Tsunami decoder pre-installed
- · Sound units operate in both DC and DCC
- Engine, horn, and bell sounds work in DC
- · Some functions are limited in DC
- · All functions NMRA compatible in DCC mode
- Slow speed control
- Program a multiple unit (MU) lashup with lead unit only horn, bell, and lights
- Lighting effects such as beacons, Gyralight where prototypically accurate
 Many functions can be altered via Configuration Value (CV) changes
- CV chart included in the box

