


\$129.98srp HORIZON

RND78028 RND78029 RND78030 HO Dash 9-44CW, NS #9540 HO Dash 9-44CW, NS #9625 HO Dash 9-44CW, NS #9678

\* Union Pacific Licensed Product

Visit Your Local Retailer | Visit www.athearn.com | Call 1.800.338.4639







HO GE Dash 9-44CW(C44-9W)

Announced 12.29.17 Orders Due: 01.26.18

ETA: December 2018

What-If/Fantasy Paint Scheme

## Spokane Portland & Seattle



RND78016 RND78017 RND78018 HO Dash 9-44CW, SP&S #3918 HO Dash 9-44CW, SP&S #3919 HO Dash 9-44CW, SP&S #3920

## All Road Names

## **MODEL FEATURES:**

- · Non-illuminated ditch lights
- · Three cab variations
- See-through cab windows
- Factory applied sunshades, frame-mounted bell, exhaust stack, brake wheel, rear sand filler, air tanks
- · Separately-applied wire grab irons
- Fine scale handrails
- Steerable or Hi-ad trucks with separate shock struts and brake cylinders per prototype
- 5.000 gallon fuel tank
- McHenry operating scale knuckle couplers
- · Fully-assembled and ready-to-run out of the box
- Painted and printed for realistic decoration
- Highly detailed, injection molded body
- Quick Plug<sup>™</sup> and play technology: DCC ready with both 8 and 9 pin connectors
- Bi-directional constant lighting so headlight brightness remains consistent
- · Incandescent bulbs for realistic color and appearance
- · All-wheel drive with precision gears for smooth and quiet operation
- · Heavy die-cast frame for greater traction and more pulling power
- · All-wheel electrical pickup provides reliable current flow
- 5-pole skew wound motor with precision-machined flywheels and dual-link<sup>™</sup> drive train for trouble free operation
- · Wheels with RP25 contours operate on all popular brands of track
- Window packaging for easy viewing
- · Packaging interior safely holds the model for convenient storage
- · Minimum radius: 18"
- · Recommended radius: 22"

