


HO ACF 2970 Centerflow Hopper Orders Due: 10.28.16

ETA: August 2017

ACF Leasing





HO RTR ACF 2970 Covered Hopper, ACFX #44504 ATH15479 HO RTR ACF 2970 Covered Hopper, ACFX #44522 ATH15480 HO RTR ACF 2970 Covered Hopper, ACFX #44550 ATH15481 HO RTR ACF 2970 Covered Hopper, ACFX #44576

Burlington





ATH15482 HO RTR ACF 2970 Covered Hopper, BN #435528 ATH15483 HO RTR ACF 2970 Covered Hopper, BN #435570 ATH15484 HO RTR ACF 2970 Covered Hopper, BN #435928 ATH15485 HO RTR ACF 2970 Covered Hopper, BN #435977



Chicago & North





ATH15486 HO RTR ACF 2970 Covered Hopper, C&NW #175025 ATH15487 HO RTR ACF 2970 Covered Hopper, C&NW #175147 ATH15488 HO RTR ACF 2970 Covered Hopper, C&NW #175176 HO RTR ACF 2970 Covered Hopper, C&NW #175290 ATH15489



Western Mary











HO ACF 2970 Centerflow Hopper Announced 09.30.16 Orders Due: 10.28.16

ETA: August 2017



















ATH15491 HO RTR ACF 2970 Covered Hopper, CSX #228708 ATH15492 ATH15493

HO RTR ACF 2970 Covered Hopper, CSX #226692 HO RTR ACF 2970 Covered Hopper, CSX #226699

Norfolk Southern







ATH15494 ATH15495 ATH15496 ATH15497

HO RTR ACF 2970 Covered Hopper, NS #235129 HO RTR ACF 2970 Covered Hopper, NS #235153 HO RTR ACF 2970 Covered Hopper, NS #235160 HO RTR ACF 2970 Covered Hopper, NS #235191

Rock Island







ATH15498 ATH15499 ATH15500 ATH15501

HO RTR ACF 2970 Covered Hopper, RI #512001 HO RTR ACF 2970 Covered Hopper, RI #512013 HO RTR ACF 2970 Covered Hopper, RI #512018 HO RTR ACF 2970 Covered Hopper, RI #512025





HO ACF 2970 Centerflow Hopper Announced 09.30.16 Orders Due: 10.28.16

ETA: August 2017

All Road Names

MODEL FEATURES:

- · Round or trough hatches
- · Photo-etched metal roof walk
- · Separately applied wire grab irons and stirrup steps
- · Separate brake cylinder, valve and air reservoir with wire formed brake plumbing
- · Detailed outlets
- Multiple road numbers
- · Fully-assembled and ready-to-run out of the box
- · Accurately painted and printed
- · Highly detailed, injection molded body
- · Separately applied brake wheel
- · Machined metal wheels
- · Screw mounted trucks
- · Body mounted McHenry operating scale knuckle couplers
- · Weighted for trouble free operation
- Wheels with RP25 contours operate on all popular brands of track
- · Window packaging for easy viewing plus interior plastic blister safely holds the model for convenient storage
- Minimum radius: 18"

PROTOTYPE INFORMATION:

The 2-bay covered hopper first entered service in the 1950s. The cars handle loads such as cement, sand and similar denser bulk commodities. In the 1960s, American Car and Foundry introduced the Centerflow design. The Centerflow relies on the car's rounded body to provide structural strength without the added weight of bracing, as well as making gravity unloading easier. This 2-bay car came in a 2,970-cubic foot capacity.

